



Groundwater Report

Spring 2014

**San Joaquin County
Flood Control and Water Conservation District**



San Joaquin County Flood Control and Water Conservation District

Board of Supervisors

Ken Vogel, Chairman
Bob Elliot, Vice Chairman
Carlos Villapadua
Frank L. Ruhstaller
Steve J. Bestolarides

Flood Control Engineer Director of Public Works

Thomas M. Gau

Deputy Director of Public Works

Fritz Buchman

Report Prepared by:

DISTRICT STAFF

Brandon Nakagawa, P.E.Water Resources Coordinator
Gerardo Dominguez, P.E.Associate Engineer
Justin PadillaEngineering Assistant



© San Joaquin County Department of Public Works, Stockton, 2014

Copies of the Spring 2014 Groundwater Report may be purchased for \$30 and 36"X48" Contour Maps for \$25 each from:

San Joaquin County Department of Public Works

P.O. Box 1810

Stockton, California 95201

Make checks payable to: San Joaquin County Department of Public Works



Acknowledgements

. . .

This Groundwater Report is a product of the commitment that the San Joaquin County Flood Control and Water Conservation District together with many other interested agencies made to sustain and enhance the groundwater resources of the Eastern San Joaquin Basin. The District extends thanks to...

California Water Service

City of Lathrop

City of Lodi

City of Manteca

City of Stockton Municipal Utilities Department

East Bay Municipal Utility District

Libby-Owens-Ford, Lathrop

Morada Area Association

Newark Sierra Paperboard Company

Pacific Gas and Electric Company

San Joaquin County Department of Public Works

State of California, Department of Water Resources, Central District

Stockton East Water District

United States Bureau of Reclamation

United States Geological Survey

Most of all, we would like to thank all of the individual well owners, who give us access to their wells and in some cases some of their time.



This page intentionally left blank

Table of Contents

. . .

Acknowledgements	iii
Table of Contents	v
Spring 2014 Groundwater Report	vii
Introduction	vii
Purpose.....	vii
Procedure	viii
Section 1–Rainfall Distribution	1-1
Summary of Rainfall Distribution	1-1
Annual Rainfall Distribution	1-2
Figure 1-1 Total Annual Rainfall (Stockton Fire Station 4)	1-2
Figure 1-2 Total Annual Rainfall (Tracy Carbona Station).....	1-3
Figure 1-3 Total Annual Rainfall (Lodi Station)	1-4
Figure 1-4 Total Annual Rainfall (Camp Pardee).....	1-5
Monthly Rainfall Distribution.....	1-6
Figure 1-5 Monthly Rainfall Distribution (Stockton Fire Station 4)	1-6
Figure 1-6 Monthly Rainfall Distribution (Tracy Carbona Station)	1-6
Figure 1-7 Monthly Rainfall Distribution (Lodi Station)	1-7
Figure 1-8 Monthly Rainfall Distribution (Camp Pardee).....	1-7
Section 2 – Groundwater Elevation Monitoring.....	2-1
Summary of Groundwater Elevations	2-1
Table 2-1 Comparison of CSJWCD Area Spring Water Levels.....	2-2
Table 2-2 Comparison of NSJWCD Area Spring Water Levels	2-4
Table 2-3 Comparison of OID Area Spring Water Levels	2-8
Table 2-4 Comparison of SEWD Area Spring Water Levels	2-8
Table 2-5 Comparison of SSJID Area Spring Water Levels	2-11
Table 2-6 Comparison of Southwest Couty Area Spring Water Levels	2-13
Table 2-7 Comparison of WID Area Water Levels	2-13
Figure 2-1 Well Hydrograph Locations	2-15
Figure 2-2 Spring Hydrograph Well A	2-16
Figure 2-3 Spring Hydrograph Well B	2-17
Figure 2-4 Spring Hydrograph Well C	2-18
Figure 2-5 Spring Hydrograph Well D	2-19
Figure 2-6 Spring Hydrograph Well E.....	2-20
Figure 2-7 Spring Hydrograph Well F.....	2-21
Figure 2-8 Spring Hydrograph Well G	2-22
Figure 2-9 Spring Hydrograph Well H	2-23
Figure 2-10 Spring Hydrograph Well I.....	2-24

Figure 2-11 Spring Hydrograph Well J	2-25
Figure 2-12 Spring Hydrograph Well K	2-26
Figure 2-13 Spring Hydrograph Well L.....	2-27
Figure 2-14 Spring Hydrograph Well M	2-28
Figure 2-15 Spring Hydrograph Well N	2-29
Figure 2-16 Spring Hydrograph Well O	2-30
Figure 2-17 Spring Hydrograph Well P.....	2-31
Figure 2-18 Spring Hydrograph Well Q	2-32
Figure 2-19 Spring Hydrograph Well R	2-33
Figure 2-20 Spring Hydrograph Well S.....	2-34
Figure 2-21 Spring Hydrograph Well T.....	2-35
Figure 2-22 Spring Hydrograph Well U	2-36
Figure 2-23 Spring Hydrograph Well V	2-37
Figure 2-24 Spring Hydrograph Well W	2-38
Figure 2-25 Spring Hydrograph Well X	2-39
Figure 2-26 Spring Hydrograph Well Y	2-40
Figure 2-27 Spring Hydrograph Well Z.....	2-41
Figure 2-28 Cross Section Alignments	2-42
Figure 2-29 Highway 99 Cross Section Spring 2014	2-43
Figure 2-30 Highway 4 & Highway 26 Cross Section Spring 2014.....	2-44
Figure 2-31 Jacktone Rd Cross Section Spring 2014	2-45
Figure 2-32 Differences in Groundwater Elevations	2-46
Figure 2-33 Lines of Equal Elevation of Groundwater Spring 2014.....	2-47
Figure 2-34 Lines of Equal Elevation of Groundwater Spring 2013.....	2-48
Figure 2-35 Lines of Equal Depth to Groundwater Spring 2014.....	2-49
Figure 2-36 Lines of Equal Depth to Groundwater Spring 2013.....	2-50

San Joaquin County Flood Control and Water Conservation District Spring 2014 Groundwater Report

Introduction

Since the fall of 1971, the San Joaquin County Flood Control and Water Conservation District has monitored groundwater levels and groundwater quality and has published the data in the Semi-annual Groundwater Report. This report utilizes data from federal, state and local government agencies as well as non-governmental sources.

Water level data is collected on a semi-annual basis, during the months of April and October, to observe groundwater levels before and after peak groundwater pumping conditions. Over 550 wells, of which 270 are measured by County staff, are included in the Monitoring Program. The exact number of wells varies from year to year, depending on circumstances such as destructions, new well construction, well accessibility, and well condition.

Purpose

The purpose of the Semi-annual Groundwater Report is to provide information on groundwater conditions in San Joaquin County and to publish the results of the groundwater monitoring program which consists of the following:

1. Monitor groundwater quality along a North-South line from the north of the City of Stockton to the City of Lathrop.
2. Measure groundwater levels on a County-wide basis.

In general, water quality data is more meaningful after peak production which usually occurs during the summer months. Therefore, groundwater quality data will be published only in the fall report. The groundwater depth and elevation data will be published both in the spring and fall.

Saline intrusion from the west is a continuing concern affecting the quality of groundwater in the Basin. Groundwater quality analysis is completed on an annual basis, from approximately 18 municipal and domestic supply wells (exact number varies from year to year) located in proximity to the saline front.

Procedure

Groundwater quality sampling is conducted on an annual basis during the month of October, along with the Fall Measurements. Approximately 18 wells are currently sampled. The exact number of wells may vary depending on well access and other conditions. Replicate groundwater samples (two) are analyzed for Chloride (Cl^-) using the Thomas Scientific 675 pH/ISE meter in conjunction with the ISE Cl^- Combination Electrode, and analyzed for Electrical Conductivity (EC) using DiST 3 by Hanna Instruments. Total Dissolved Solids (TDS) are calculated using the formula: $\text{TDS} = 0.64 \times \text{EC (umhos)}$. Data is then stored in a database for accessibility and reporting requirements.

Water Level Measurements are performed with the use of either a steel chain or sounder. Data is then immediately recorded in field books and then stored in a database for accessibility and reporting requirements.

Section 1– Annual Rainfall Distribution

Summary of Annual Rainfall Distribution

The groundwater basin in San Joaquin County responds to changes in annual precipitation. There are four total annual precipitation graphs and four monthly precipitation graphs included in this report (Figures 1-1 through 1-8). These graphs reflect three areas located across San Joaquin County and one area in Calaveras County. The station located at the Stockton Fire Station No. 4 as well as the station located in Tracy, has pertinent beginning in 1940. Lodi station has data from 1949 to 2014. The Camp Pardee station has data available from 1949 to 2014.




Figure 1-1 Total Annual Rainfall (Stockton Fire Station 4)

* Data for 2012-2013 Water Year is missing. Total in graph does not reflect actual precipitation totals.




Figure 1-2 Total Annual Rainfall (Tracy Carbona Station)




Figure 1-3 Total Annual Rainfall (Lodi Station)




Figure 1-4 Total Annual Rainfall (Camp Pardee)

Monthly Rainfall Distribution




Figure 1-5 Monthly Rainfall Distribution (Stockton Fire Station 4)




Figure 1-6 Monthly Rainfall Distribution (Tracy Carbona Station)




Figure 1-7 Monthly Rainfall Distribution (Lodi Station)




Figure 1-8 Monthly Rainfall Distribution (Camp Pardee)

This page intentionally left blank

Section 2 – Groundwater Elevation Monitoring

Summary of Groundwater Elevations

The information contained in the Spring 2014 Groundwater Report is summarized as follows

GROUNDWATER LEVELS

Central San Joaquin Water Conservation District (CSJWCD) – Sixty-two wells are monitored in CSJWCD. Forty-one wells were able to be compared. Thirty-four show decreases in groundwater levels. Seven wells show an increase in groundwater levels.

North San Joaquin Water Conservation District (NSJWCD) – One-hundred thirty-seven wells are monitored in NSJWCD. One-hundred five wells were able to be compared. Ninety-seven wells decreased in groundwater levels. Eight wells increased in groundwater levels.

Oakdale Irrigation District (OID) – Six wells are monitored in the OID area. Two wells were able to be compared. Both wells show a decrease in groundwater levels.

Stockton East Water District (SEWD) – One-hundred one wells are monitored in SEWD. Sixty-two wells were able to be compared. Fifty-six wells decreased in groundwater levels. Six wells show increases in groundwater levels.

South San Joaquin Irrigation District (SSJID) – Sixty-two wells are monitored in the SSJID area. Thirty-five wells were able to be compared. Twenty-nine wells show decreases in groundwater levels. Six wells show increases in groundwater levels.

Southwest County Areas – Nineteen wells are monitored across the Southwest are of the County. Fourteen wells were able to be compared. Eight wells descended in groundwater levels. Six wells increased in groundwater levels.

Woodbridge Irrigation District (WID) – Thirty-four wells are monitored in the WID. Twenty-nine wells were able to be compared. Twenty-four wells decreased in groundwater levels. Four wells show increases in groundwater levels. No change was observed in one well.

Table 2-1 Comparison of CSJWCD Water Levels

StateWellID	Spring 2014	Spring 2013	Change
01N07E11L001	-36.00	-35.30	-0.70
01N07E11M001	-35.40	-36.70	1.30
01N07E13J002	*	-52.50	*
01N07E14J002	-38.10	-43.10	5.00
01N07E15M002	*	*	*
01N07E24A001	*	*	*
01N07E24R001	-41.50	-40.50	-1.00
01N07E26H003	-33.30	*	*
01N07E32A001	-17.59	*	*
01N08E07M001	-50.20	-49.60	-0.60
01N08E09L001	*	-43.66	*
01N08E11L001	*	-55.50	*
01N08E13J001	*	-28.20	*
01N08E15J001	-39.03	-35.93	-3.10
01N08E16G001	-42.50	-40.20	-2.30
01N08E16H002	-41.00	-39.20	-1.80
01N08E16P001	*	-35.75	*
01N08E18A002	-42.10	-40.50	-1.60
01N08E22J001	-39.00	-34.50	-4.50
01N08E26A002	*	-23.80	*
01N08E27R002	-31.70	-27.60	-4.10
01N08E29M002	-37.00	*	*
01N08E35F001	-30.50	-25.90	-4.60
01N08E35R002	-23.50	-20.00	-3.50
01N08E36F001	-20.40	-17.50	-2.90
01N09E01C001	14.10	14.90	-0.80
01N09E05J001	*	-26.50	
01N09E06N001	-32.80	-34.50	1.70
01N09E13D001	15.30	8.50	6.80
01N09E15B002	*	*	*
01N09E17D001	-23.20	-21.00	-2.20
01N09E17M001	-23.20	-18.00	-5.20
01N09E19C001	-27.50	-24.00	-3.50

StateWellID	Spring 2014	Spring 2013	Change
01N09E21J001	*	*	*
01N09E22G002	*	0.60	*
01N09E26A001	7.37	12.37	-5.00
01N09E29R001	-8.00	-4.00	-4.00
01N09E30C005	*	-29.20	*
01N09E31J001	-6.55	-4.45	-2.10
01N09E35K001	5.18	14.28	-9.10
01S07E01J001	-26.30	-30.60	4.30
01S07E02J001	-28.90	-26.00	-2.90
01S07E12H001	*	*	*
01S07E13J001	*	*	*
01S08E04R001	-25.40	-21.70	-3.70
01S08E05A001	-27.80	-23.90	-3.90
01S08E05R001	*	*	*
01S08E06D001	-28.00	-31.10	3.10
01S08E09Q001	-17.30	-13.90	-3.40
01S08E11F001	-16.70	-18.10	1.40
01S08E12B001	-10.80	-9.00	-1.80
01S08E14B001	-6.70	-4.20	-2.50
01S08E15P001	*	-8.00	*
01S08E20B001	-9.20	-8.20	-1.00
01S08E23A001	*	*	*
01S09E02R001	29.00	32.30	-3.30
01S09E05H002	0.60	4.50	-3.90
01S09E07A001	-4.20	-2.60	-1.60
01S09E07N001	-0.40	0.10	-0.50
01S09E09R001	13.30	15.70	-2.40
01S09E18R003	9.90	11.00	-1.10
01S09E19Q002	14.50	15.60	-1.10

Total Number of Wells	62
Total Number of Comparable Wells	41
Number of Wells with Decrease	34
Number of Wells with Increase	7
Number of Wells with No Change	0
Range of Change	-9.1 to 6.8
Average Change	-1.76



*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

Table 2-2 Comparison of NSJWCD Water Levels

StateWellID	Spring 2014	Spring 2013	Change
03N06E24M003	-36.62	-29.62	-7.00
03N06E25C001	-32.45	-30.45	-2.00
03N06E25H015	*	-36.67	*
03N06E36N001	*	*	*
03N07E03R001	*	-21.80	*
03N07E05D005	19.47	20.67	-1.20
03N07E08B012	-17.45	-15.55	-1.90
03N07E08E002	-24.30	-23.00	-1.30
03N07E09C001	-24.40	-25.70	1.30
03N07E09P002	-29.28	-26.98	-2.30
03N07E10L004	-31.71	-27.41	-4.30
03N07E12P001	-41.65	-39.15	-2.50
03N07E15C004	-34.60	-32.00	-2.60
03N07E17A006	-28.46	-27.06	-1.40
03N07E17D004	-28.30	-25.40	-2.90
03N07E17K002	-42.70	-34.50	-8.20
03N07E18D012	-29.60	-27.50	-2.10
03N07E18M002	-29.03	-30.23	1.20
03N07E19J004	-49.20	-42.50	-6.70
03N07E19Q012	-36.28	-34.28	-2.00
03N07E20C012	-36.14	-32.74	-3.40
03N07E21L003	-38.60	-39.20	0.60
03N07E22C011	-40.60	-37.00	-3.60
03N07E23C002	*	*	*
03N07E23K011	-44.94	-41.54	-3.40
03N07E25G001	*	*	*
03N07E26G012	-45.77	-43.27	-2.50
03N07E32Q012	-43.65	-40.65	-3.00
03N07E33G002	-42.20	-46.50	4.30
03N08E04Q001	-37.17	-33.57	-3.60
03N08E05K011	*	-33.57	*
03N08E07J001	*	-32.30	*
03N08E12P011	*	-31.57	*
03N08E17B001	-42.47	-38.77	-3.70

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
03N08E17Q011	-45.57	-41.67	-3.90
03N08E19C001	*	*	*
03N08E19M003	-45.67	-42.17	-3.50
03N08E22A001	-47.50	-44.00	-3.50
03N09E05D001	*	*	*
04N06E02R011	*	-17.51	*
04N06E03A012	-9.10	1.50	-10.60
04N06E06N012	-9.60	-4.60	-5.00
04N06E12C004	-31.50	-28.00	-3.50
04N06E12N002	*	*	*
04N06E15B002	-12.90	-10.70	-2.20
04N06E16A011	-6.86	-3.76	-3.10
04N06E16C001	0.22	*	*
04N06E16K011	2.84	3.44	-0.60
04N06E17G004	-1.50	1.50	-3.00
04N06E23D004	-15.21	-11.11	-4.10
04N06E23K00	-6.00	-3.00	-3.00
04N06E24D012	-15.40	-12.50	-2.90
04N06E24F001	-17.50	-15.00	-2.50
04N06E25B001	-10.80	-7.60	-3.20
04N06E25R001	-5.00	-2.00	-3.00
04N06E27D002	13.70	15.50	-1.80
04N06E27Q012	15.98	16.88	-0.90
04N06E34J002	21.00	19.40	1.60
04N06E35D011	15.19	16.59	-1.40
04N07E01B011	*	*	*
04N07E02R001	*	-31.34	*
04N07E04B012	*	-84.55	*
04N07E04Q012	*	-34.01	*
04N07E07A001	*	*	*
04N07E07H011	-35.64	-31.24	-4.40
04N07E11D012	-37.53	-32.03	-5.50
04N07E12E001	*	-35.30	*
04N07E12G012	-33.94	-29.44	-4.50
04N07E14P011	-30.71	-26.01	-4.70
04N07E15B012	*	-29.79	*

* Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
04N07E16D001	*	-31.24	*
04N07E17J013	*	-24.64	*
04N07E17N001	-31.30	-28.30	-3.00
04N07E19K001	-21.20	-19.10	-2.10
04N07E19R011	-18.31	-15.41	-2.90
04N07E20H003	-95.40	-94.60	-0.80
04N07E21F001	-27.50	*	*
04N07E23J012	-26.43	-21.53	-4.90
04N07E24N002	-25.03	-21.63	-3.40
04N07E25G015	-21.34	-19.04	-2.30
04N07E27C002	-21.30	-18.50	-2.80
04N07E28J002	-19.90	-25.70	5.80
04N07E28P011	8.13	10.33	-2.20
04N07E29H001	*	-11.94	*
04N07E29N012	-5.42	-3.02	-2.40
04N07E32F011	5.17	7.17	-2.00
04N07E33H001	24.20	24.50	-0.30
04N07E34K011	-9.13	-6.53	-2.60
04N07E35C002	-13.93	-9.43	-4.50
04N07E35E013	-14.43	-10.03	-4.40
04N07E36L001	-25.70	-20.50	-5.20
04N08E01K001	49.13	51.53	-2.40
04N08E02E011	-8.47	-5.07	-3.40
04N08E04P014	-25.77	-24.57	-1.20
04N08E06C002	*	-30.67	*
04N08E06N002	-38.10	-35.70	-2.40
04N08E11M012	-6.77	-2.47	-4.30
04N08E12A011	76.83	76.73	0.10
04N08E12B011	49.73	52.33	-2.60
04N08E12N001	23.93	28.23	-4.30
04N08E14B011	-3.67	3.23	-6.90
04N08E14K001	-5.20	-3.10	-2.10
04N08E15D011	-18.37	-15.27	-3.10
04N08E15J011	-11.87	-8.97	-2.90
04N08E17A001	-30.80	-26.50	-4.30
04N08E17J001	-28.40	-25.50	-2.90

StateWellID	Spring 2014	Spring 2013	Change
04N08E21M001	-32.30	-29.10	-3.20
04N08E22C015	*	-14.77	*
04N08E26A012	-7.87	-6.07	-1.80
04N08E27J011	-18.47	-14.47	-4.00
04N08E28E001	-30.26	-25.36	-4.90
04N08E32N001	-36.60	-33.10	-3.50
04N08E34Q011	-31.16	-28.16	-3.00
04N09E06L011	114.03	115.83	-1.80
04N09E07D012	84.13	84.53	-0.40
04N09E07E011	91.03	92.13	-1.10
04N09E16Q002	166.43	168.63	-2.20
04N09E17E001	141.03	144.23	-3.20
04N09E18A011	155.83	156.83	-1.00
04N09E18D002	53.63	56.63	-3.00
04N09E18N011	25.83	27.83	-2.00
04N09E20M001	116.44	119.64	-3.20
04N09E21A001	171.34	172.14	-0.80
04N09E28C002	186.14	188.04	-1.90
04N09E31M001	-18.10	*	*
05N06E36R001	*	*	*
05N07E31J001	*	*	*
05N07E31Q001	*	*	*
05N07E34G001	-46.80	*	*
05N07E34Q001	-44.70	-45.90	1.20
05N08E24Q011	54.63	55.63	-1.00
05N08E25P011	52.03	53.53	-1.50
05N08E32R011	*	-28.27	*
05N08E35K012	2.33	4.53	-2.20
05N09E30C011	161.63	161.83	-0.20
05N09E30M011	144.63	146.53	-1.90
05N09E31L011	126.53	129.23	-2.70

Total Number of Wells	137
Total Number of Comparable Wells	105
Number of Wells with Decrease	97
Number of Wells with Increase	8
Number of Wells with No Change	0
Range of Change	-10.6 to 5.8
Average Change	-2.62

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

Table 2-3 Comparison of OID Water Levels

StateWellID	Spring 2014	Spring 2013	Change
01S09E11J002	34.60	36.20	-1.60
01S09E14K001	*	40.11	*
01S09E21J002	36.30	39.10	-2.80
01S09E23N001	*	49.00	*
01S09E24R001	*	67.10	*
01S09E28M002	*	38.70	*
Total Number of Wells			6
Total Number of Comparable Wells			2
Number of Wells with Decrease			2
Number of Wells with Increase			0
Number of Wells with No Change			0
Range of Change			-2.8 to -1.6
Average Change			-2.20

Table 2-4 Comparison of SEWD Water Levels

StateWellID	Spring 2014	Spring 2013	Change
01N06E02C001	-23.53	-14.53	-9.00
01N06E05H001	-5.79	-5.99	0.20
01N06E05M004	*	*	*
01N06E23J001	*	*	*
01N06E27R002	-6.60	-9.70	3.10
01N07E01A002	*	*	*
01N07E01M002	-50.50	*	*
01N07E02G001	-43.90	-41.20	-2.70
01N07E03L001	*	*	*
01N07E03M001	*	1.00	*
01N07E04R001	-16.50	-15.50	-1.00
01N07E08B001	*	*	*
01N07E09E004	-22.70	-21.60	-1.10
01N07E09H001	*	-24.70	*
01N07E09Q003	-30.30	-29.00	-1.30
01N07E10D001	-23.80	-22.60	-1.20

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
01N07E10G001	*	*	*
01N07E19G001	*	*	*
01N07E20G001	*	-23.00	*
01N07E21R001	-24.50	*	*
01N08E03P001	*	-50.50	*
01S06E01C002	-4.90	-3.00	-1.90
01S06E02D004	*	*	*
01S06E02G002	-4.67	-2.47	-2.20
01S06E10G001	-4.60	-5.30	0.70
01S07E06M002	-6.20	-2.50	-3.70
01S07E08J002	-5.60	-2.50	-3.10
02N06E03A003	-32.50	-31.80	-0.70
02N06E06C002	-13.40	-12.70	-0.70
02N06E13R002	-37.50	-35.50	-2.00
02N06E24F001	-33.80	-30.00	-3.80
02N06E24J002	*	-31.30	*
02N06E32G001	-8.19	*	*
02N07E03D001	-50.70	-49.00	-1.70
02N07E08D001	-48.80	-45.20	-3.60
02N07E08K003	*	-51.00	*
02N07E08R002	-51.04	-49.34	-1.70
02N07E10F002	-53.40	-51.80	-1.60
02N07E11F001	-52.50	-48.50	-4.00
02N07E11R002	-53.50	-52.00	-1.50
02N07E12A003	-49.85	-48.05	-1.80
02N07E15C001	-58.30	-54.30	-4.00
02N07E16F002	-54.84	-52.44	-2.40
02N07E16L001	-53.50	-49.60	-3.90
02N07E20N002	-39.80	-36.40	-3.40
02N07E21A002	-57.81	-53.81	-4.00
02N07E21K002	*	-48.40	*
02N07E21N001	*	*	*
02N07E23B001	-61.10	-57.00	-4.10
02N07E24B001	-55.50	-54.70	-0.80
02N07E24Q001	-64.50	-61.00	-3.50
02N07E26H003	-57.60	-55.00	-2.60

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
02N07E26N001	-53.90	-51.20	-2.70
02N07E28K002	*	-50.30	*
02N07E28N004	-42.80	-40.50	-2.30
02N07E28P001	*	-45.40	*
02N07E29B001	-44.80	-42.50	-2.30
02N07E29M002	-37.80	-36.50	-1.30
02N07E30E001	-32.80	*	*
02N07E30H001	*	-37.50	*
02N07E31M001	-23.80	-22.30	-1.50
02N07E32J002	-32.80	-31.00	-1.80
02N07E32M002	-30.70	-26.00	-4.70
02N07E32R001	*	-28.00	*
02N07E33L001	*	-31.00	*
02N07E34R001	-31.50	-29.70	-1.80
02N07E35L001	*	*	*
02N07E36H001	-57.90	-53.00	-4.90
02N08E03G002	*	-37.70	*
02N08E04C001	*	-46.50	*
02N08E05C001	*	-48.00	*
02N08E08N001	*	-50.50	*
02N08E09G002	-54.30	-50.00	-4.30
02N08E10H002	-48.40	-44.10	-4.30
02N08E13K001	*	-35.60	*
02N08E14C001	-47.00	-42.00	-5.00
02N08E15M002	-51.00	-46.20	-4.80
02N08E16D001	-52.10	-48.30	-3.80
02N08E18C001	*	-51.70	*
02N08E20F001	-56.80	-52.80	-4.00
02N08E24J001	*	*	*
02N08E24P001	-40.20	-36.40	-3.80
02N08E28H002	-54.60	*	*
02N08E32L002	-54.10	-49.20	-4.90
02N08E33E001	-51.30	-53.10	1.80
02N09E03A001	57.90	60.10	-2.20
02N09E04H001	48.20	*	*
02N09E05H001	-7.50	-9.30	1.80

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
02N09E05N001	-20.09	-17.49	-2.60
02N09E08N001	-29.15	*	*
02N09E09D001	-9.80	-5.80	-4.00
02N09E18Q001	-41.10	-33.60	-7.50
02N09E22D001	*	*	*
02N09E28N001	-12.10	-9.10	-3.00
03N07E28K012	*	*	*
03N07E35C002	-50.80	-51.30	0.50
03N07E35L001	-51.50	-48.50	-3.00
03N07E36J001	-48.60	-46.30	-2.30
03N08E27R001	-48.90	-45.00	-3.90
03N09E25R001	82.70	85.50	-2.80
03N09E36G001	*	*	*

Total Number of Wells	101
Total Number of Comparable Wells	62
Number of Wells with Decrease	56
Number of Wells with Increase	6
Number of Wells with No Change	0
Range of Change	-9 to 3.1
Average Change	-2.59

Table 2-5 Comparison of SSJID Water Levels

StateWellID	Spring 2014	Spring 2013	Change
01S07E09Q001	-2.17	1.63	-3.80
01S07E14M001	-1.20	1.90	-3.10
01S07E14P003	*	-2.50	*
01S07E15F002	-3.60	-0.10	-3.50
01S07E18L001	2.87	6.77	-3.90
01S07E21G001	10.25	15.95	-5.70
01S07E25E001	8.00	6.50	1.50
01S07E25R001	12.65	15.05	-2.40
01S07E26G001	7.60	10.00	-2.40
01S07E27K001	7.90	4.00	3.90
01S07E30R001	6.36	11.26	-4.90

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
01S07E36D001	16.05	21.15	-5.10
01S08E19R001	*	-2.70	*
01S08E25Q001	*	*	*
01S08E29K001	5.00	7.50	-2.50
01S08E30C002	3.70	2.50	1.20
01S08E34Q001	18.36	19.36	-1.00
01S08E35R002	24.87	*	*
01S09E29M002	28.60	31.50	-2.90
01S09E33J002	52.52	54.62	-2.10
01S09E33P001	49.01	54.41	-5.40
01S09E34A001	53.50	54.50	-1.00
02S07E07D002	9.00	9.50	-0.50
02S07E07Q001	24.16	25.86	-1.70
02S07E08R001	26.26	28.16	-1.90
02S07E10B002	24.26	26.16	-1.90
02S07E11N002	31.90	33.00	-1.10
02S07E12R001	25.35	28.15	-2.80
02S07E19H001	19.30	19.50	-0.20
02S07E22N002	26.85	*	*
02S07E26B001	28.60	30.00	-1.40
02S08E04M001	20.20	18.00	2.20
02S08E06J001	19.80	16.00	3.80
02S08E07R001	29.30	32.00	-2.70
02S08E08A001	23.90	25.00	-1.10
02S08E08E001	23.20	25.20	-2.00
02S08E09J001	33.16	37.46	-4.30
02S08E12D001	37.07	38.67	-1.60
02S09E03K001	*	*	*
02S09E07D001	36.39	41.29	-4.90
02S09E12R001	70.75	70.55	0.20
02S09E19B002	56.20	59.30	-3.10

Total Number of Wells	62
Total Number of Comparable Wells	35
Number of Wells with Decrease	29
Number of Wells with Increase	6
Number of Wells with No Change	0
Range of Change	-5.7 to 3.9
Average Change	-1.84



*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

**Table 2-6 Comparison of South West County Area
Water Levels**

StateWellID	Spring 2014	Spring 2013	Change
01S05E31R002	1.40	1.30	0.10
01S06E04J001	*	0.00	*
01S06E14F001	-1.60	0.90	-2.50
01S06E15F001	2.31	*	*
01S06E23C003	2.83	5.03	-2.20
01S06E26K001	*	5.64	*
02S04E15R001	53.60	56.30	-2.70
02S05E08B001	-3.20	-0.70	-2.50
02S05E13N001	*	14.50	*
02S06E10K001	3.00	2.00	1.00
02S06E25J001	14.50	15.50	-1.00
02S06E26B001	6.80	7.00	-0.20
02S06E27E001	8.30	9.00	-0.70
02S06E31N001	56.18	54.30	1.88
02S07E31N001	13.60	12.00	1.60
03S05E04H001	*	*	*
03S06E03F002	12.50	13.50	-1.00
03S06E23C001	-2.20	-3.70	1.50
03S06E27N001	74.93	72.80	2.13
Total Number of Wells			19
Total Number of Comparable Wells			14
Number of Wells with Decrease			8
Number of Wells with Increase			6
Number of Wells with No Change			0
Range of Change			-2.7 to 2.13
Average Change			-0.33

Table 2-7 Comparison of WID Water Levels

StateWellID	Spring 2014	Spring 2013	Change
03N05E13L001	*	-8.00	*
03N05E14C001	-5.00	-8.80	3.80
03N06E04P012	-7.76	-8.16	0.40
03N06E05C002	-3.25	-0.75	-2.50



*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

StateWellID	Spring 2014	Spring 2013	Change
03N06E05N003	-14.50	-11.00	-3.50
03N06E07D013	-6.88	-4.18	-2.70
03N06E07H003	-14.70	-14.50	-0.20
03N06E09N011	-16.38	*	*
03N06E10D001	-6.60	-9.40	2.80
03N06E15C004	-19.20	-19.30	0.10
03N06E17A004	*	-24.20	*
03N06E18M003	-15.50	-14.10	-1.40
03N06E20D002	-18.30	-17.00	-1.30
03N06E26P002	-31.70	-29.70	-2.00
03N06E27E001	*	-26.20	*
03N06E29C001	-27.90	-22.80	-5.10
03N06E30R001	-25.00	-25.00	0.00
03N06E32R001	-23.20	-20.50	-2.70
04N05E10K001	-6.00	-3.50	-2.50
04N05E13C012	-2.23	2.47	-4.70
04N05E13H001	-4.80	-1.00	-3.80
04N05E13R004	-6.70	-1.70	-5.00
04N05E14B002	-4.00	-0.40	-3.60
04N05E14P001	-2.20	2.00	-4.20
04N05E22H001	*	-4.00	*
04N05E24J004	-3.10	0.90	-4.00
04N05E26F001	-1.50	0.20	-1.70
04N05E36C004	-0.09	4.81	-4.90
04N05E36H003	-3.50	0.50	-4.00
04N06E18R012	-1.10	2.50	-3.60
04N06E19R012	-0.58	3.22	-3.80
04N06E29N002	-5.70	-2.00	-3.70
04N06E30E001	-1.30	3.20	-4.50
05N05E28L003	-2.20	-1.50	-0.70

Total Number of Wells	34
Total Number of Comparable Wells	29
Number of Wells with Decrease	24
Number of Wells with Increase	4
Number of Wells with No Change	1
Range of Change	-5.1 to 3.8
Average Change	-2.38

*Measurement wasn't able to be completed due to one or more of the following reasons: pumping, pump house locked, unable to get tape in casing, insects or dogs.

HYDROGRAPHS




Figure 2-1 Well Hydrograph Locations




Figure 2-2 Spring Hydrograph Well A




Figure 2-3 Spring Hydrograph Well B




Figure 2-4 Spring Hydrograph Well C




Figure 2-5 Spring Hydrograph Well D




Figure 2-6 Spring Hydrograph Well E




Figure 2-7 Spring Hydrograph Well F




Figure 2-8 Spring Hydrograph Well G




Figure 2-9 Spring Hydrograph Well H




Figure 2-10 Spring Hydrograph Well I




Figure 2-11 Spring Hydrograph Well J




Figure 2-12 Spring Hydrograph Well K




Figure 2-13 Spring Hydrograph Well L




Figure 2-14 Spring Hydrograph Well M




Figure 2-15 Spring Hydrograph Well N




Figure 2-16 Spring Hydrograph Well O




Figure 2-17 Spring Hydrograph Well P




Figure 2-18 Spring Hydrograph Well Q




Figure 2-19 Spring Hydrograph Well R




Figure 2-20 Spring Hydrograph Well S




Figure 2-21 Spring Hydrograph Well T




Figure 2-22 Spring Hydrograph Well U




Figure 2-23 Spring Hydrograph Well V




Figure 2-24 Spring Hydrograph Well W




Figure 2-25 Spring Hydrograph Well X




Figure 2-26 Spring Hydrograph Well Y




Figure 2-27 Spring Hydrograph Well Z




Figure 2-28 Cross Section Alignments




Figure 2-29 Highway 99 Cross Section Spring 2014




Figure 2-30 Highway 4 & Highway 26 Cross Section Spring 2014




Figure 2-31 Jacktone Rd Cross Section Spring 2014

This page intentionally left blank




Figure 2-32 Differences in Groundwater Elevations Spring 2014 (Spring 2014 and Spring 2013 Comparisons)







Figure 2-33 Lines of Equal Elevation of Groundwater Spring 2014








Lines of Equal Elevation of Groundwater Spring 2013

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources. The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose. The information on this map is not intended to replace engineering, financial or other records research.


Datum: North American of 1983





Prepared by: Gerardo Dominguez

Figure 2-34 Lines of Equal Elevation of Groundwater Spring 2013









LINES OF EQUAL DEPTH TO GROUNDWATER SPRING 2013

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources. The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose. The information on this map is not intended to replace engineering, financial or primary records research.

Datum: North American of 1983



Prepared by: Genardo Dominguez

Figure 2-36 Lines of Equal Depth to Groundwater Spring 2013