



Groundwater Report

Spring 2010

San Joaquin County
Flood Control and Water Conservation District



San Joaquin County Flood Control and Water Conservation District

Board of Supervisors

Carlos Villapadua, Chairman
Leroy Ornellas, ViceChairman
Larry Ruhstaller
Steve Bestolarides
Ken Vogel

Flood Control Engineer Director of Public Works

Thomas R. Flinn

Chief Deputy Director of Public Works

Thomas M. Gau

Report Prepared by:

DISTRICT STAFF

| | | |
|-------------------|-------|-----------------------------|
| Mel Lytle, Ph.D. | | Water Resources Coordinator |
| Brandon Nakagawa | | Water Resources Engineer |
| Gerardo Dominguez | | Staff Engineer |





© San Joaquin County Department of Public Works, Stockton, 2010

Copies of the Spring 20010 Groundwater Report may be purchased for \$30 and 36"X48" Contour Maps for \$25 each from:

San Joaquin County Department of Public Works
P.O. Box 1810

Stockton, California 95201

Make checks payable to: San Joaquin County Department of Public Works



Acknowledgements

• • •

This Groundwater Report is a product of the commitment that the San Joaquin County Flood Control and Water Conservation District together with many other interested agencies made to sustain and enhance the groundwater resources of the Eastern San Joaquin Basin. The District extends thanks to...

California Water Service

City of Lathrop

City of Lodi

City of Manteca

City of Stockton Municipal Utilities Department

East Bay Municipal Utility District

Libby-Owens-Ford, Lathrop

Morada Area Association

Newark Sierra Paperboard Company

Pacific Gas and Electric Company

San Joaquin County Department of Public Works

State of California, Department of Water Resources, Central District

Stockton East Water District

United States Bureau of Reclamation

United States Geological Survey

Most of all, we would like to thank all of the individual well owners, who give us access to their wells and in some cases some of their time.



This page intentionally left blank

Table of Contents

| | |
|---------------------------------------------------------------------------|------|
| • • • | |
| Acknowledgements | iii |
| Table of Contents..... | v |
| Spring 2010 Groundwater Report..... | vii |
| Introduction | vii |
| Purpose..... | vii |
| Procedure | viii |
| Section 1-Rainfall Distribution | 1-1 |
| Summary of Rainfall Distribution | 1-1 |
| Annual Rainfall Distribution | 1-2 |
| Figure 1-1 Total Annual Rainfall (Stockton Fire Station 4) | 1-2 |
| Figure 1-2 Total Annual Rainfall (Tracy Carbona Station)..... | 1-3 |
| Figure 1-3 Total Annual Rainfall (Lodi Station) | 1-4 |
| Figure 1-4 Total Annual Rainfall (Camp Pardee)..... | 1-5 |
| Monthly Rainfall Distribution..... | 1-6 |
| Figure 1-5 Monthly Rainfall Distribution (Stockton Fire Station 4) | 1-6 |
| Figure 1-6 Monthly Rainfall Distribution (Tracy Carbona Station)..... | 1-6 |
| Figure 1-7 Monthly Rainfall Distribution (Lodi Station) | 1-7 |
| Figure 1-8 Monthly Rainfall Distribution (Camp Pardee)..... | 1-7 |
| Section 2 – Groundwater Elevation Monitoring..... | 2-1 |
| Summary of Groundwater Elevations | 2-1 |
| Table 2-1 Comparison of BCID Area Spring Water Levels..... | 2-2 |
| Table 2-2 Comparison of CSJWCD Area Spring Water Levels..... | 2-2 |
| Table 2-3 Comparison of NSJWCD Area Spring Water Levels | 2-3 |
| Table 2-4 Comparison of OID Area Spring Water Levels | 2-6 |
| Table 2-5 Comparison of SEWD Area SpringWater Levels | 2-7 |
| Table 2-6 Comparison of SSJID Area Spring Water Levels | 2-9 |
| Table 2-7 Comparison of WID Area SpringWater Levels | 2-10 |
| Table 2-8 Comparison of Miscellaneous County Area SpringWater Levels..... | 2-11 |
| Figure 2-1 Well Hydrograph Locations | 2-13 |
| Figure 2-2 Spring Hydrograph Well A | 2-14 |
| Figure 2-3 Spring Hydrograph Well B | 2-15 |
| Figure 2-4 Spring Hydrograph Well C | 2-16 |
| Figure 2-5 Spring Hydrograph Well D | 2-17 |
| Figure 2-6 Spring Hydrograph Well E..... | 2-18 |
| Figure 2-7 Spring Hydrograph Well F..... | 2-19 |
| Figure 2-8 Spring Hydrograph Well G | 2-20 |
| Figure 2-9 Spring Hydrograph Well H | 2-21 |

| | |
|----------------------------------------------------------------------|------|
| Figure 2-10 Spring Hydrograph Well I..... | 2-22 |
| Figure 2-11 Spring Hydrograph Well J | 2-23 |
| Figure 2-12 Spring Hydrograph Well K | 2-24 |
| Figure 2-13 Spring Hydrograph Well L..... | 2-25 |
| Figure 2-14 Spring Hydrograph Well M | 2-26 |
| Figure 2-15 Spring Hydrograph Well N | 2-27 |
| Figure 2-16 Spring Hydrograph Well O | 2-28 |
| Figure 2-17 Spring Hydrograph Well P | 2-29 |
| Figure 2-18 Spring Hydrograph Well Q | 2-30 |
| Figure 2-19 Spring Hydrograph Well R | 2-31 |
| Figure 2-20 Spring Hydrograph Well S | 2-32 |
| Figure 2-21 Spring Hydrograph Well T..... | 2-33 |
| Figure 2-22 Spring Hydrograph Well U | 2-34 |
| Figure 2-23 Spring Hydrograph Well V | 2-35 |
| Figure 2-24 Spring Hydrograph Well W | 2-36 |
| Figure 2-25 Spring Hydrograph Well X | 2-37 |
| Figure 2-26 Spring Hydrograph Well Y | 2-38 |
| Figure 2-27 Spring Hydrograph Well Z..... | 2-39 |
| Figure 2-28 Cross Section Alignments | 2-40 |
| Figure 2-29 Highway 99 Cross Section Spring 2010 | 2-41 |
| Figure 2-30 Highway 4 & Highway 26 Cross Section Spring 2010..... | 2-42 |
| Figure 2-31 Jacktone Rd Cross Section Spring 2010 | 2-43 |
| Figure 2-32 Differences in Groundwater Elevations | 2-44 |
| Figure 2-33 Lines of Equal Elevation of Groundwater Spring 2010..... | 2-45 |
| Figure 2-34 Lines of Equal Elevation of Groundwater Spring 2009..... | 2-46 |
| Figure 2-35 Lines of Equal Depth to Groundwater Spring 2010..... | 2-47 |
| Figure 2-36 Lines of Equal Depth to Groundwater Spring 2009..... | 2-48 |

San Joaquin County Flood Control and Water Conservation District

Spring 2010 Groundwater Report

Introduction

Since the fall of 1971, the San Joaquin County Flood Control and Water Conservation District has monitored groundwater levels and groundwater quality and has published the data in the Semi-annual Groundwater Report. This report utilizes data from federal, state and local government agencies as well as non-governmental sources.

Water level data is collected on a semi-annual basis, during the months of April and October, to observe groundwater levels before and after peak groundwater pumping conditions. Over 550 wells, of which 270 are measured by County staff, are included in the Monitoring Program. The exact number of wells varies from year to year, depending on circumstances such as destructions, new well construction, well accessibility, and well condition.

Purpose

The purpose of the Semi-annual Groundwater Report is to provide information on groundwater conditions in San Joaquin County and to publish the results of the groundwater monitoring program which consists of the following:

1. Monitor groundwater quality along a North-South line from the north of the City of Stockton to the City of Lathrop.
2. Measure groundwater levels on a County-wide basis.

In general, water quality data is more meaningful after peak production which usually occurs during the summer months. Therefore, groundwater quality data will be published only in the fall report. The groundwater depth and elevation data will be published both in the spring and fall.

Saline intrusion from the west is a continuing concern affecting the quality of groundwater in the Basin. Groundwater quality analysis is completed on an annual basis, from approximately 18 municipal and domestic supply wells (exact number varies from year to year) located in proximity to the saline front.



Procedure

Groundwater quality sampling is conducted on an annual basis during the month of October, along with the Fall Measurements. Approximately 18 wells are currently sampled. The exact number of wells may vary depending on well access and other conditions. Replicate groundwater samples (two) are analyzed for Chloride (Cl^-) using the Thomas Scientific 675 pH/ISE meter in conjunction with the ISE Cl^- Combination Electrode, and analyzed for Electrical Conductivity (EC) using DiST 3 by Hanna Instruments. Total Dissolved Solids (TDS) are calculated using the formula: $\text{TDS} = 0.64 \times \text{EC}$ (umhos). Data is then stored in a database for accessibility and reporting requirements.

Water Level Measurements are performed with the use of either a steel chain or sounder. Data is then immediately recorded in field books and then stored in a database for accessibility and reporting requirements.

Section 1- Annual Rainfall Distribution

Summary of Annual Rainfall Distribution

The groundwater basin in San Joaquin County responds to changes in annual precipitation. There are four total annual precipitation graphs and four monthly precipitation graphs included in this report (Figures 1-1 through 1-8). These graphs reflect three areas located across San Joaquin County and one area in Calaveras County. The station located at the Stockton Fire Station No. 4, as well as the station located in Tracy Carbona, has pertinent beginning in 1940. Lodi station has data from 1949 to 2010. The Camp Pardee station has data available from 1949 to 2010.




Figure 1-1 Total Annual Rainfall (Stockton Fire Station 4)






Figure 1-2 Total Annual Rainfall (Tracy Carbona Station)






Figure 1-3 Total Annual Rainfall (Lodi Station)






Figure 1-4 Total Annual Rainfall (Camp Pardee)



Monthly Rainfall Distribution




Figure 1-5 Monthly Rainfall Distribution (Stockton Fire Station 4)




Figure 1-6 Monthly Rainfall Distribution (Tracy Carbona Station)




Figure 1-7 Monthly Rainfall Distribution (Lodi Station)




Figure 1-8 Monthly Rainfall Distribution (Camp Pardee)

This page intentionally left blank

Section 2 – Groundwater Elevation Monitoring

Summary of Groundwater Elevations

The information contained in the Spring 2010 Groundwater Report is summarized as follows

GROUNDWATER LEVELS

Banta-Carbona Irrigation District (BCID) – Two wells were compared in the BCID area. One well decreased and one well increased in groundwater elevation.

Central San Joaquin Water Conservation District (CSJWCD) – Fifty-two wells were measured in CSJWCD. Thirty-nine show decreases in groundwater levels. Ten wells show an increase in groundwater levels. Three well's groundwater level remained constant.

North San Joaquin Water Conservation District (NSJWCD) – One-hundred thirty-nine wells were measured in NSJWCD. One-hundred thirty-three wells were able to be compared. One-hundred five wells decreased in groundwater levels. Six wells increased in groundwater levels. Twenty-two wells experienced no change in groundwater level.

Oakdale Irrigation District (OID) – Five wells were measured in the OID area. Two wells show a decrease in groundwater levels. Three wells increased in groundwater levels.

South San Joaquin Irrigation District (SSJID) – Forty-five were measured in the SSJID area. Forty-four wells were able to be compared. Twenty-six wells show decreases in groundwater levels. Fourteen wells show increases in groundwater levels. Four wells experienced no change in groundwater level.

Stockton East Water District (SEWD) – One-hundred eight wells were measured in SEWD. Eighty-seven wells were able to be compared. Fifty-six wells decreased in groundwater levels. Twenty-six wells show increases in groundwater levels. Five wells experienced no change in groundwater level.

Woodbridge Irrigation District (WID) – Thirty-nine wells were measured in the WID. Fifteen wells decreased in groundwater levels. Eighteen wells show increases in groundwater levels. Six wells experienced no change in groundwater level.

Miscellaneous County Areas – Thirty-one wells measured across the County in areas that are not a part of any major irrigation district. Twenty-eight wells were able to be compared. Twelve wells descended in groundwater levels. Fifteen wells increased in groundwater levels. One well stayed constant.

Table 2-1 Comparison of BCID Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|---------------|
| 02S06E31N001 | 53.0 | 51.0 | 2.0 |
| 03S06E27N001 | 70.8 | 72.8 | -2.0 |
| Total Number of Wells | | 2 | |
| Total Number of Wells Compared | | 2 | |
| Number of Wells with Decrease | | 1 | |
| Number of Wells with Increase | | 1 | |
| Number of Wells with No Change | | 0 | |
| Range of Change | | -2.0 to 2.0 | |
| Average Change | | 0.0 | |

Table 2-2 Comparison of CSJWCD Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 01N07E11L001 | -37.8 | -35.0 | -2.8 |
| 01N07E11M001 | -37.7 | -35.2 | -2.5 |
| 01N07E13J002 | -41.5 | -40.0 | -1.5 |
| 01N07E14J002 | -36.6 | -35.6 | -1.0 |
| 01N07E14L001 | -38.8 | -37.2 | -1.6 |
| 01N07E15M002 | -33.5 | -33.0 | -0.5 |
| 01N07E24A001 | -36.6 | -35.6 | -1.0 |
| 01N07E24R001 | -37.0 | -35.0 | -2.0 |
| 01N07E26H003 | -33.5 | -32.0 | -1.5 |
| 01N08E07M001 | -47.6 | -52.6 | 5.0 |
| 01N08E09L001 | -44.8 | -52.6 | 7.8 |
| 01N08E11L001 | -35.0 | -34.0 | -1.0 |
| 01N08E13J001 | -19.7 | -19.7 | 0.0 |
| 01N08E15J001 | -34.7 | -34.2 | -0.5 |
| 01N08E16G001 | -35.2 | -32.7 | -2.5 |
| 01N08E16H002 | -33.5 | -31.0 | -2.5 |
| 01N08E16P001 | -34.1 | -33.2 | -0.9 |
| 01N08E18A002 | -37.0 | -33.5 | -3.5 |
| 01N08E22J001 | -30.5 | -29.0 | -1.5 |
| 01N08E26A002 | -19.3 | -17.3 | -2.0 |
| 01N08E27R002 | -25.0 | -33.0 | 8.0 |
| 01N08E28K001 | -35.4 | -27.0 | -8.4 |
| 01N08E36F001 | -25.5 | -20.0 | -5.5 |
| 01N09E05J001 | -15.5 | -7.0 | -8.5 |
| 01N09E06N001 | -14.0 | -16.5 | 2.5 |
| 01N09E15B002 | 3.0 | 3.5 | -0.5 |
| 01N09E17D001 | -15.0 | -12.5 | -2.5 |
| 01N09E17M001 | -8.0 | -14.5 | 6.5 |
| 01N09E19C001 | -16.5 | -19.0 | 2.5 |
| 01N09E29R001 | -3.5 | -3.5 | 0.0 |
| 01N09E30C005 | -10.7 | -14.7 | 4.0 |



| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|------------------|
| 01N09E31J001 | -2.0 | 1.6 | -3.5 |
| 01S07E01J001 | -26.6 | -22.1 | -4.5 |
| 01S07E02J001 | -26.0 | -20.5 | -5.5 |
| 01S07E13J001 | -4.0 | -7.0 | 3.0 |
| 01S08E04R001 | -26.5 | -25.0 | -1.5 |
| 01S08E05A001 | -31.4 | -23.9 | -7.5 |
| 01S08E05R001 | -23.8 | -20.3 | -3.5 |
| 01S08E06D001 | -29.6 | -22.6 | -7.0 |
| 01S08E09Q001 | -12.4 | -14.9 | 2.5 |
| 01S08E11F001 | -12.9 | -11.9 | -1.0 |
| 01S08E14B001 | -0.7 | 0.8 | -1.5 |
| 01S08E15A001 | -10.4 | -7.9 | -2.5 |
| 01S08E15P001 | -6.8 | -2.8 | -4.0 |
| 01S08E20B001 | -4.7 | -3.2 | -1.5 |
| 01S08E23A001 | 3.5 | 4.0 | -0.5 |
| 01S08E27A001 | 7.2 | 9.2 | -2.0 |
| 01S09E05H002 | 10.0 | 10.0 | 0.0 |
| 01S09E07A001 | 3.7 | 7.2 | -3.5 |
| 01S09E07N001 | 6.7 | 9.7 | -3.0 |
| 01S09E09R001 | 19.3 | 15.8 | 3.5 |
| 01S09E18R003 | 17.0 | 18.5 | -1.5 |
| Total Number of Wells | | | 52 |
| Total Number of Wells Compared | | | 52 |
| Number of Wells with Decrease | | | 39 |
| Number of Wells with Increase | | | 10 |
| Number of Wells with No Change | | | 3 |
| Range of Change | | | -8.5 to 8 |
| Average Change | | | -1.2 |

Table 2-3 Comparison of NSJWCD Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 03N06E04C001 | -3.1 | -3.3 | 0.2 |
| 03N06E24M003 | -28.4 | -27.9 | -0.5 |
| 03N06E25C001 | -30.6 | -32.4 | 1.8 |
| 03N06E25H015 | -33.3 | -31.3 | -2.0 |
| 03N06E25R005 | -37.9 | ----- | ----- |
| 03N07E02G003 | -11.9 | -20.3 | 8.4 |
| 03N07E03R001 | -18.3 | -16.8 | -1.5 |
| 03N07E05D005 | 17.3 | 17.3 | 0.0 |
| 03N07E08B012 | -16.0 | -14.8 | -1.2 |
| 03N07E08E002 | -23.0 | -20.0 | -3.0 |
| 03N07E09C001 | -19.7 | -18.7 | -1.0 |
| 03N07E09P002 | -26.2 | -24.7 | -1.5 |
| 03N07E10L004 | -26.5 | -25.4 | -1.1 |
| 03N07E12P001 | -34.6 | -41.0 | 6.4 |
| 03N07E15C004 | -27.5 | -27.5 | 0.0 |
| 03N07E17A006 | -25.6 | -24.3 | -1.3 |



| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 03N07E17D004 | -23.9 | -24.4 | 0.5 |
| 03N07E17K002 | -30.0 | -30.0 | 0.0 |
| 03N07E18D012 | -25.5 | -24.5 | -1.0 |
| 03N07E18M002 | -27.6 | -26.3 | -1.3 |
| 03N07E19J004 | -44.0 | -36.0 | -8.0 |
| 03N07E19Q012 | -34.2 | -31.8 | -2.4 |
| 03N07E20C012 | -32.4 | -30.4 | -2.0 |
| 03N07E21L003 | -32.5 | -31.0 | -1.5 |
| 03N07E22C011 | -34.9 | -34.1 | -0.8 |
| 03N07E23K011 | -40.5 | -38.6 | -1.9 |
| 03N07E26G012 | -41.2 | -39.3 | -1.9 |
| 03N07E28K012 | -42.4 | -40.3 | -2.1 |
| 03N08E04Q001 | -31.9 | -30.1 | -1.8 |
| 03N08E05K011 | -32.2 | -30.4 | -1.8 |
| 03N08E07D002 | -33.6 | -33.5 | -0.1 |
| 03N08E07J001 | -45.3 | ----- | ----- |
| 03N08E12P011 | -30.4 | -30.2 | -0.2 |
| 03N08E17B001 | -37.5 | -35.5 | -2.0 |
| 03N08E17Q011 | -40.4 | -38.4 | -2.0 |
| 03N08E19C001 | -40.3 | -38.3 | -2.0 |
| 03N08E19M003 | -40.3 | -38.2 | -2.1 |
| 03N08E22A001 | -40.1 | -38.5 | -1.6 |
| 04N06E02R011 | -21.7 | -18.3 | -3.4 |
| 04N06E03A012 | -3.9 | -2.2 | -1.7 |
| 04N06E05Q001 | -8.1 | -9.5 | 1.4 |
| 04N06E06N012 | -2.6 | -1.6 | -1.0 |
| 04N06E12C004 | -28.0 | -24.5 | -3.5 |
| 04N06E12N002 | -29.3 | ----- | ----- |
| 04N06E15B002 | -10.7 | -10.2 | -0.5 |
| 04N06E16A011 | -8.3 | -6.2 | -2.1 |
| 04N06E16C001 | -1.0 | -0.1 | -0.9 |
| 04N06E16K011 | 2.1 | 2.9 | -0.8 |
| 04N06E23D004 | -13.0 | -11.5 | -1.5 |
| 04N06E23K00 | -2.5 | -2.5 | 0.0 |
| 04N06E24D012 | -14.5 | -13.8 | -0.7 |
| 04N06E24F001 | -18.0 | -16.0 | -2.0 |
| 04N06E25B001 | -9.4 | -8.5 | -0.9 |
| 04N06E25R001 | -2.0 | -2.0 | 0.0 |
| 04N06E27B012 | 5.8 | 6.0 | -0.2 |
| 04N06E27D002 | 18.2 | 15.7 | 2.5 |
| 04N06E27Q012 | 14.2 | 13.9 | 0.3 |
| 04N06E34J002 | 18.9 | 17.4 | 1.5 |
| 04N06E35D011 | 14.4 | 14.4 | 0.0 |
| 04N06E36J012 | 5.5 | 5.9 | -0.4 |
| 04N07E01B011 | -33.1 | -30.5 | -2.6 |
| 04N07E02R001 | -30.7 | -29.6 | -1.1 |
| 04N07E04B012 | -34.4 | -32.1 | -2.3 |
| 04N07E04Q012 | -33.6 | -31.0 | -2.6 |
| 04N07E07H011 | -31.9 | -29.3 | -2.6 |
| 04N07E11D012 | -32.0 | -29.0 | -3.0 |



San Joaquin County Flood Control and Water Conservation District Groundwater Report

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 04N07E12E001 | -25.0 | -30.5 | 5.5 |
| 04N07E12G012 | -28.0 | -26.3 | -1.7 |
| 04N07E14P011 | -24.9 | -23.3 | -1.6 |
| 04N07E15B012 | -29.1 | -27.0 | -2.1 |
| 04N07E16D001 | -29.3 | -26.6 | -2.7 |
| 04N07E17J013 | -24.6 | -22.8 | -1.8 |
| 04N07E17N001 | -25.3 | -24.8 | -0.5 |
| 04N07E19K001 | -16.6 | -14.6 | -2.0 |
| 04N07E19R011 | -16.3 | -14.1 | -2.2 |
| 04N07E20H003 | -21.1 | ----- | ----- |
| 04N07E21F001 | -20.8 | -19.3 | -1.5 |
| 04N07E23J012 | -21.8 | -19.3 | -2.5 |
| 04N07E24N002 | -20.8 | -19.0 | -1.8 |
| 04N07E26B011 | -15.2 | -14.5 | -0.7 |
| 04N07E27C002 | -15.5 | -20.5 | 5.0 |
| 04N07E28J002 | -23.7 | -21.7 | -2.0 |
| 04N07E28P011 | 9.0 | 8.1 | 0.9 |
| 04N07E29H001 | -11.4 | -8.2 | -3.2 |
| 04N07E29N012 | -4.8 | -3.5 | -1.3 |
| 04N07E31Q031 | 14.4 | 14.5 | -0.1 |
| 04N07E32F011 | 2.7 | 3.1 | -0.4 |
| 04N07E33H001 | 26.0 | 25.5 | 0.5 |
| 04N07E34K011 | -6.1 | -5.1 | -1.0 |
| 04N07E35C002 | -9.3 | -3.6 | -5.7 |
| 04N07E35E013 | -9.6 | -9.2 | -0.4 |
| 04N07E36L001 | -13.5 | -17.5 | 4.0 |
| 04N08E01K001 | 47.7 | 51.0 | -3.3 |
| 04N08E02E011 | -5.9 | -3.3 | -2.6 |
| 04N08E04P014 | -21.8 | -19.9 | -1.9 |
| 04N08E06C002 | -30.6 | -29.6 | -1.0 |
| 04N08E06N002 | -31.7 | -30.7 | -1.0 |
| 04N08E11M012 | -2.4 | -1.7 | -0.7 |
| 04N08E12A011 | 77.4 | 73.3 | 4.1 |
| 04N08E12B011 | 50.9 | 51.5 | -0.6 |
| 04N08E12N001 | 27.8 | 28.6 | -0.8 |
| 04N08E14B011 | 3.2 | 4.9 | -1.7 |
| 04N08E14K001 | -0.1 | 0.9 | -1.0 |
| 04N08E15D011 | -12.6 | -11.7 | -0.9 |
| 04N08E15J011 | -8.8 | -8.0 | -0.8 |
| 04N08E17A001 | -22.3 | -17.3 | -5.0 |
| 04N08E17J001 | -21.5 | -19.5 | -2.0 |
| 04N08E18Q011 | -25.3 | -22.9 | -2.4 |
| 04N08E19B002 | -20.3 | -18.0 | -2.3 |
| 04N08E21M001 | -25.6 | -23.1 | -2.5 |
| 04N08E22C015 | -14.0 | -12.9 | -1.1 |
| 04N08E26A012 | -5.6 | ----- | ----- |
| 04N08E27J011 | -14.2 | -12.3 | -1.9 |
| 04N08E28E001 | -25.8 | -23.9 | -1.9 |
| 04N08E32N001 | -23.1 | -28.1 | 5.0 |
| 04N08E34Q011 | -26.7 | -24.8 | -1.9 |



| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|----------------|
| 04N08E36P001 | -33.0 | -32.8 | -0.2 |
| 04N09E06L011 | 112.1 | 113.0 | -0.9 |
| 04N09E07D012 | 84.5 | 84.5 | 0.0 |
| 04N09E07E011 | 90.0 | 91.3 | -1.3 |
| 04N09E15D001 | 184.8 | 183.7 | 1.1 |
| 04N09E16A001 | 180.6 | 178.4 | 2.2 |
| 04N09E16Q002 | 165.1 | 162.9 | 2.2 |
| 04N09E17E001 | 140.3 | ----- | ----- |
| 04N09E18A011 | 152.9 | 151.8 | 1.1 |
| 04N09E18D002 | 55.5 | 56.6 | -1.1 |
| 04N09E18N011 | 29.4 | 30.8 | -1.4 |
| 04N09E20M001 | 116.5 | 116.6 | -0.1 |
| 04N09E21A001 | 169.4 | 169.8 | -0.4 |
| 04N09E28C002 | 185.2 | 185.9 | -0.7 |
| 05N06E36C003 | -38.0 | -35.4 | -2.6 |
| 05N06E36R001 | -32.8 | -29.8 | -3.0 |
| 05N07E34Q001 | -35.4 | -30.9 | -4.5 |
| 05N08E25P011 | 52.0 | 52.2 | -0.2 |
| 05N08E32R011 | -27.9 | -25.4 | -2.5 |
| 05N08E35K012 | 5.3 | 6.1 | -0.8 |
| 05N09E30C011 | 160.7 | 160.5 | 0.2 |
| 05N09E30M011 | 143.7 | 145.5 | -1.8 |
| 05N09E31L011 | 127.8 | 128.6 | -0.8 |
| Total Number of Wells | | | 139 |
| Total Number of Wells Compared | | | 133 |
| Number of Wells with Decrease | | | 105 |
| Number of Wells with Increase | | | 6 |
| Number of Wells with No Change | | | 22 |
| Range of Change | | | -8 to 5 |
| Average Change | | | -0.9 |

Table 2-4 Comparison of OID Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|------------------|
| 01S09E11J002 | 42.2 | 40.2 | 2.0 |
| 01S09E14K001 | 46.3 | 41.0 | 5.3 |
| 01S09E21J002 | 39.5 | 43.5 | -4.0 |
| 01S09E23N001 | 52.0 | 55.0 | -3.0 |
| 01S09E28M002 | 40.7 | 37.7 | 3.0 |
| Total Number of Wells | | | 5 |
| Total Number of Wells Compared | | | 5 |
| Number of Wells with Decrease | | | 2 |
| Number of Wells with Increase | | | 3 |
| Number of Wells with No Change | | | 0 |
| Range of Change | | | -4 to 5.3 |
| Average Change | | | 1.1 |



Table 2-5 Comparison of SEWD Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 01N06E02C001 | -23.7 | ----- | ----- |
| 01N06E03K001 | -12.5 | ----- | ----- |
| 01N06E04J002 | -6.2 | ----- | ----- |
| 01N06E05H001 | -8.4 | ----- | ----- |
| 01N06E23J001 | -11.5 | -12.7 | 1.2 |
| 01N06E27R002 | -6.7 | -7.2 | 0.5 |
| 01N07E01A002 | -45.7 | -41.0 | -4.7 |
| 01N07E01M002 | -50.0 | -48.0 | -2.0 |
| 01N07E02G001 | -45.8 | -36.5 | -9.3 |
| 01N07E04R001 | -28.0 | -27.0 | -1.0 |
| 01N07E07F001 | -25.9 | ----- | ----- |
| 01N07E08B001 | -33.0 | ----- | ----- |
| 01N07E09E004 | -32.0 | -28.5 | -3.5 |
| 01N07E09H001 | -33.4 | ----- | ----- |
| 01N07E09Q003 | -33.3 | -37.5 | 4.2 |
| 01N07E10D001 | -31.0 | -30.0 | -1.0 |
| 01N07E19G001 | -24.0 | -24.0 | 0.0 |
| 01N07E20G001 | -25.0 | -32.0 | 7.0 |
| 01N07E29A002 | -34.1 | ----- | ----- |
| 01N08E02B001 | -35.9 | -28.6 | -7.3 |
| 01N08E03P001 | -40.0 | -37.0 | -3.0 |
| 01N08E04E001 | -44.0 | -42.0 | -2.0 |
| 01N09E05B001 | -16.7 | -15.1 | -1.6 |
| 01S06E01C002 | -6.0 | -7.0 | 1.0 |
| 01S06E02D004 | -6.2 | -13.2 | 7.0 |
| 01S06E02G002 | -7.7 | ----- | ----- |
| 01S06E10G001 | -3.8 | -4.3 | 0.5 |
| 01S06E11E001 | -4.5 | -5.0 | 0.5 |
| 01S07E06M002 | -7.0 | -8.0 | 1.0 |
| 01S07E08J002 | -5.5 | -5.5 | 0.0 |
| 02N06E01A001 | -37.5 | ----- | ----- |
| 02N06E03A003 | -30.3 | -29.8 | -0.5 |
| 02N06E06C002 | -14.0 | -13.0 | -1.0 |
| 02N06E11L001 | -31.2 | -34.0 | 2.8 |
| 02N06E12H001 | -39.3 | ----- | ----- |
| 02N06E15F001 | -29.1 | ----- | ----- |
| 02N06E17J001 | -23.0 | ----- | ----- |
| 02N06E20F001 | -0.4 | ----- | ----- |
| 02N06E24F001 | -35.0 | -42.5 | 7.5 |
| 02N06E24J002 | -36.9 | -37.3 | 0.4 |
| 02N06E24J003 | -37.0 | ----- | ----- |
| 02N06E32G001 | -10.9 | -11.0 | 0.1 |
| 02N06E35D002 | -27.1 | ----- | ----- |
| 02N07E03D001 | -48.5 | -50.5 | 2.0 |
| 02N07E08K003 | -49.7 | -49.5 | -0.2 |
| 02N07E08R002 | -48.1 | ----- | ----- |
| 02N07E10F002 | -46.8 | ----- | ----- |



| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 02N07E11F001 | -51.5 | -48.0 | -3.5 |
| 02N07E11R002 | -52.0 | -52.0 | 0.0 |
| 02N07E12A003 | -43.5 | -41.6 | -1.9 |
| 02N07E15C001 | -52.8 | -56.3 | 3.5 |
| 02N07E16F002 | -49.9 | -50.4 | 0.5 |
| 02N07E16L001 | -51.8 | -42.3 | -9.5 |
| 02N07E20N002 | -42.0 | -40.0 | -2.0 |
| 02N07E21A002 | -53.3 | -49.8 | -3.5 |
| 02N07E21K002 | -48.7 | -47.0 | -1.7 |
| 02N07E21N001 | -42.0 | ----- | ----- |
| 02N07E23B001 | -52.8 | -50.0 | -2.8 |
| 02N07E24Q001 | -58.3 | -54.0 | -4.3 |
| 02N07E26N001 | -50.2 | -46.2 | -4.0 |
| 02N07E28K002 | -42.0 | -48.5 | 6.5 |
| 02N07E28N004 | -44.7 | -37.0 | -7.7 |
| 02N07E28P001 | -49.0 | -45.0 | -4.0 |
| 02N07E29B001 | -43.9 | -40.5 | -3.4 |
| 02N07E29M002 | -40.8 | -38.0 | -2.8 |
| 02N07E30E001 | -37.1 | -37.5 | 0.4 |
| 02N07E30H001 | -39.3 | -37.0 | -2.3 |
| 02N07E31M001 | -29.3 | -30.8 | 1.5 |
| 02N07E32J002 | -37.5 | -36.0 | -1.5 |
| 02N07E32M002 | -40.0 | -34.5 | -5.5 |
| 02N07E32R001 | -37.1 | -35.6 | -1.5 |
| 02N07E33L001 | -42.0 | -36.0 | -6.0 |
| 02N07E34R001 | -37.8 | -32.0 | -5.8 |
| 02N07E36H001 | -51.5 | -50.0 | -1.5 |
| 02N07E36P002 | -49.0 | -45.8 | -3.2 |
| 02N08E03G002 | -34.0 | -31.7 | -2.3 |
| 02N08E04C001 | -43.1 | -39.5 | -3.6 |
| 02N08E05C001 | -45.5 | -50.5 | 5.0 |
| 02N08E08N001 | -47.5 | -45.5 | -2.0 |
| 02N08E09G002 | -46.0 | -44.0 | -2.0 |
| 02N08E10H002 | -40.8 | -38.6 | -2.2 |
| 02N08E12C002 | -29.2 | -38.2 | 9.0 |
| 02N08E13K001 | -33.1 | -30.6 | -2.5 |
| 02N08E14C001 | -40.0 | -37.5 | -2.5 |
| 02N08E15M002 | -42.6 | -38.2 | -4.4 |
| 02N08E16D001 | -46.2 | -43.1 | -3.1 |
| 02N08E20F001 | -49.3 | -46.3 | -3.0 |
| 02N08E24P001 | -34.4 | -36.4 | 2.0 |
| 02N08E28H002 | -42.9 | -47.6 | 4.7 |
| 02N08E32L002 | -46.2 | -45.2 | -1.0 |
| 02N08E33E001 | -44.6 | -42.1 | -2.5 |
| 02N09E05H001 | -3.0 | -1.3 | -1.7 |
| 02N09E05N001 | -16.9 | ----- | ----- |
| 02N09E08N001 | -23.7 | -25.4 | 1.7 |
| 02N09E09D001 | -3.8 | -2.3 | -1.5 |
| 02N09E18Q001 | -35.3 | -31.6 | -3.7 |
| 02N09E28N001 | -25.6 | -20.1 | -5.5 |

| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|------------------|
| 03N06E35P002 | -29.5 | -29.1 | -0.4 |
| 03N06E36N001 | -33.8 | -33.8 | 0.0 |
| 03N07E32Q012 | -39.1 | -38.2 | -0.9 |
| 03N07E33G002 | -42.1 | ----- | ----- |
| 03N07E35C002 | -41.6 | -41.8 | 0.2 |
| 03N07E35L001 | -47.0 | -47.0 | 0.0 |
| 03N07E36J001 | -40.6 | -40.8 | 0.2 |
| 03N08E27R001 | -39.5 | -39.0 | -0.5 |
| 03N08E32P001 | -42.5 | -41.2 | -1.3 |
| 03N09E25R001 | 87.0 | 89.5 | -2.5 |
| 03N09E36G001 | 79.8 | 88.2 | -8.4 |
| Total Number of Wells | | | 108 |
| Total Number of Wells Compared | | | 87 |
| Number of Wells with Decrease | | | 56 |
| Number of Wells with Increase | | | 26 |
| Number of Wells with No Change | | | 5 |
| Range of Change | | | -9.5 to 9 |
| Average Change | | | -1.2 |

Table 2-6 Comparison of SSJID Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 01S07E14M001 | 0.9 | 2.9 | -2.0 |
| 01S07E14P003 | -2.8 | 2.2 | -5.0 |
| 01S07E15F002 | 6.4 | -0.1 | 6.5 |
| 01S07E17N002 | 2.5 | 2.3 | 0.2 |
| 01S07E18L001 | 0.8 | 0.2 | 0.6 |
| 01S07E21G001 | 9.3 | 9.3 | 0.0 |
| 01S07E25E001 | 10.0 | 12.5 | -2.5 |
| 01S07E25R001 | 13.8 | 15.7 | -1.9 |
| 01S07E26G001 | 10.5 | 12.0 | -1.5 |
| 01S07E27K001 | 11.0 | 13.0 | -2.0 |
| 01S07E30R001 | 9.9 | 9.0 | 0.9 |
| 01S07E33H001 | 17.6 | 17.0 | 0.6 |
| 01S07E36D001 | 16.8 | 17.9 | -1.1 |
| 01S08E34Q001 | 20.9 | 23.7 | -2.8 |
| 01S08E35R002 | 29.0 | 30.5 | -1.5 |
| 01S09E19Q002 | 20.0 | 23.5 | -3.5 |
| 01S09E29M002 | 33.5 | 36.0 | -2.5 |
| 01S09E33J002 | 53.9 | 55.5 | -1.6 |
| 01S09E33P001 | 50.2 | 51.7 | -1.5 |
| 01S09E34A001 | 59.0 | 60.0 | -1.0 |
| 02S07E07D002 | 10.0 | 10.0 | 0.0 |
| 02S07E07Q001 | 22.9 | 17.6 | 5.3 |
| 02S07E08R001 | 25.1 | 23.7 | 1.4 |
| 02S07E10B002 | 25.2 | 20.5 | 4.7 |
| 02S07E11N002 | 34.0 | 33.5 | 0.5 |
| 02S07E12G001 | 29.0 | 27.5 | 1.5 |



| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|------------------|
| 02S07E12R001 | 25.5 | 20.4 | 5.1 |
| 02S07E12R002 | 28.5 | 28.5 | 0.0 |
| 02S07E19H001 | 20.0 | 20.0 | 0.0 |
| 02S07E20R002 | 22.4 | 21.3 | 1.1 |
| 02S07E22N002 | 25.2 | 24.0 | 1.2 |
| 02S07E24R002 | 33.8 | ----- | ----- |
| 02S07E26B001 | 30.0 | 27.0 | 3.0 |
| 02S08E04M001 | 24.5 | 26.5 | -2.0 |
| 02S08E06J001 | 23.0 | 24.5 | -1.5 |
| 02S08E07R001 | 33.5 | 35.0 | -1.5 |
| 02S08E08A001 | 28.0 | 29.5 | -1.5 |
| 02S08E08E001 | 24.2 | 28.7 | -4.5 |
| 02S08E09J001 | 35.0 | 36.2 | -1.2 |
| 02S08E12D001 | 39.0 | 40.7 | -1.7 |
| 02S08E14E001 | 42.3 | 43.1 | -0.8 |
| 02S09E03K001 | 61.0 | 61.5 | -0.5 |
| 02S09E07D001 | 42.0 | 46.0 | -4.0 |
| 02S09E11K001 | 73.7 | 76.7 | -3.0 |
| 02S09E12R001 | 71.0 | 72.0 | -1.0 |
| Total Number of Wells | | | 45 |
| Total Number of Wells Compared | | | 44 |
| Number of Wells with Decrease | | | 26 |
| Number of Wells with Increase | | | 14 |
| Number of Wells with No Change | | | 4 |
| Range of Change | | | -5 to 6.5 |
| Average Change | | | -0.5 |

Table 2-7 Comparison of WID Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 03N05E13L001 | -11.0 | -11.0 | 0.0 |
| 03N05E14C001 | -2.8 | -4.8 | 2.0 |
| 03N05E24L001 | -8.1 | -8.6 | 0.5 |
| 03N06E04P012 | -11.6 | -10.7 | -0.9 |
| 03N06E05C002 | -3.1 | -2.5 | -0.6 |
| 03N06E05N003 | -11.5 | -11.0 | -0.5 |
| 03N06E07D013 | -7.5 | -7.3 | -0.2 |
| 03N06E07H003 | -14.0 | -10.0 | -4.0 |
| 03N06E09N011 | -19.0 | -17.7 | -1.3 |
| 03N06E10D001 | -8.4 | -13.4 | 5.0 |
| 03N06E15C004 | -18.8 | -18.3 | -0.5 |
| 03N06E17A004 | -23.7 | -19.7 | -4.0 |
| 03N06E18M003 | -14.1 | -14.1 | 0.0 |
| 03N06E20D002 | -19.5 | -16.5 | -3.0 |
| 03N06E26P002 | -27.7 | -27.2 | -0.5 |
| 03N06E27E001 | -27.7 | -27.2 | -0.5 |
| 03N06E28B012 | -26.2 | -25.4 | -0.8 |
| 03N06E29C001 | -24.3 | -24.3 | 0.0 |



| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 03N06E30R001 | -20.5 | -21.0 | 0.5 |
| 03N06E32R001 | -23.5 | -25.0 | 1.5 |
| 04N05E09D001 | -4.8 | -5.3 | 0.5 |
| 04N05E10K001 | -3.0 | -3.0 | 0.0 |
| 04N05E13C012 | -1.6 | -1.7 | 0.1 |
| 04N05E13H001 | -2.0 | -2.5 | 0.5 |
| 04N05E13R004 | -3.0 | -3.0 | 0.0 |
| 04N05E14B002 | -2.9 | -1.9 | -1.0 |
| 04N05E14P001 | 1.0 | 0.0 | 1.0 |
| 04N05E22H001 | -5.0 | -7.0 | 2.0 |
| 04N05E24J004 | -0.1 | -0.6 | 0.5 |
| 04N05E26F001 | 6.7 | 0.7 | 6.0 |
| 04N05E36C004 | 0.5 | 0.1 | 0.4 |
| 04N05E36H003 | -2.0 | -1.5 | -0.5 |
| 04N06E18R012 | -0.5 | -0.6 | 0.1 |
| 04N06E19F001 | 1.0 | -4.3 | 5.3 |
| 04N06E19R012 | -0.1 | 0.2 | -0.3 |
| 04N06E21D001 | 6.9 | 5.8 | 1.1 |
| 04N06E29N002 | -2.0 | -2.5 | 0.5 |
| 04N06E30E001 | 1.7 | 1.7 | 0.0 |
| 05N05E32M001 | -3.7 | -4.2 | 0.5 |

| | |
|---------------------------------------|----------------|
| Total Number of Wells | 39 |
| Total Number of Wells Compared | 39 |
| Number of Wells with Decrease | 15 |
| Number of Wells with Increase | 18 |
| Number of Wells with No Change | 6 |
| Range of Change | -4 to 6 |
| Average Change | 0.2 |

Table 2-8 Comparison of Miscellaneous Area Water Levels (ft)

| State Well | Spring 2010 | Spring 2009 | Change |
|-------------------|--------------------|--------------------|---------------|
| 01N09E21J001 | 4.30 | ----- | ----- |
| 01N09E26A001 | 17.50 | 19.5 | -2.0 |
| 01S05E31R002 | 0.60 | 1.1 | -0.5 |
| 01S06E04J001 | -1.00 | -0.5 | -0.5 |
| 01S06E12P001 | -4.10 | -5.3 | 1.2 |
| 01S06E14F001 | -0.60 | 0.4 | -1.0 |
| 01S06E15F001 | 1.30 | -0.2 | 1.5 |
| 01S06E23C003 | 3.40 | -2.7 | 6.1 |
| 01S06E26K001 | 2.80 | -0.4 | 3.2 |
| 01S07E10A001 | -14.00 | -12.9 | -1.1 |
| 01S08E19R001 | 6.80 | 9.3 | -2.5 |
| 01S08E29K001 | 10.00 | 12.0 | -2.0 |
| 01S08E30C002 | 7.50 | 10.5 | -3.0 |
| 01S09E02R001 | 32.30 | 33.3 | -1.0 |
| 02S04E15R001 | 54.00 | 52.0 | 2.0 |



| State Well | Spring 2010 | Spring 2009 | Change |
|---------------------------------------|--------------------|--------------------|---------------|
| 02S05E08B001 | -0.20 | -0.7 | 0.5 |
| 02S05E13N001 | 12.70 | ----- | ----- |
| 02S06E10K001 | 4.00 | 3.0 | 1.0 |
| 02S06E11J001 | 10.30 | 8.2 | 2.1 |
| 02S06E25J001 | 15.00 | 13.5 | 1.5 |
| 02S06E26B001 | 7.50 | 6.0 | 1.5 |
| 02S06E27E001 | 8.50 | 10.0 | -1.5 |
| 02S07E31N001 | 14.00 | 12.0 | 2.0 |
| 02S09E19B002 | 56.80 | 54.2 | 2.6 |
| 03S05E04H001 | 57.00 | 56.5 | 0.5 |
| 03S06E03F002 | 14.50 | 14.5 | 0.0 |
| 03S06E23C001 | 20.80 | 22.8 | -2.0 |
| 03S07E05J001 | 20.90 | 20.1 | 0.8 |
| 03S07E06Q001 | 14.90 | 20.1 | -5.2 |
| 04N05E03D003 | -2.20 | -2.7 | 0.5 |
| 05N05E28L003 | -2.50 | ----- | ----- |
| Total Number of Wells | | 31 | |
| Total Number of Wells Compared | | 28 | |
| Number of Wells with Decrease | | 12 | |
| Number of Wells with Increase | | 15 | |
| Number of Wells with No Change | | 1 | |
| Range of Change | | -5.2 to 6.1 | |
| Average Change | | 0.2 | |

HYDROGRAPHS




Figure 2-1 Well Hydrograph Locations




Figure 2-2 Spring Hydrograph Well A




Figure 2-3 Spring Hydrograph Well B




Figure 2-4 Spring Hydrograph Well C




Figure 2-5 Spring Hydrograph Well D






Figure 2-6 Spring Hydrograph Well E





2-19

Section 2 Groundwater Elevations




Figure 2-7 Spring Hydrograph Well F




Figure 2-8 Spring Hydrograph Well G




Figure 2-9 Spring Hydrograph Well H






Figure 2-10 Spring Hydrograph Well I




Figure 2-11 Spring Hydrograph Well J





Z-24

Section Z Groundwater Elevations




Figure 2-12 Spring Hydrograph Well K




Figure 2-13 Spring Hydrograph Well L



2-26

Section 2 Groundwater Elevations




Figure 2-14 Spring Hydrograph Well M




Figure 2-15 Spring Hydrograph Well N






Figure 2-16 Spring Hydrograph Well O




Figure 2-17 Spring Hydrograph Well P






Figure 2-18 Spring Hydrograph Well Q






Figure 2-19 Spring Hydrograph Well R






Figure 2-20 Spring Hydrograph Well S






Figure 2-21 Spring Hydrograph Well T




Figure 2-22 Spring Hydrograph Well U






Figure 2-23 Spring Hydrograph Well V




Figure 2-24 Spring Hydrograph Well W






Figure 2-25 Spring Hydrograph Well X




Figure 2-26 Spring Hydrograph Well Y





2-39

Section 2 Groundwater Elevations




Figure 2-27 Spring Hydrograph Well Z




Figure 2-28 Cross Section Alignments



Cross Section along Highway 99 Alignment (South County Limit to North County Limit) Spring 2010




Figure 2-29 Highway 99 Cross Section Spring 2010



Cross Section along Highway 4 and Highway 26 Alignment (Fresno Ave to Escalon-Bellota Rd) Spring 2010




Figure 2-30 Highway 4 & Highway 26 Cross Section Spring 2010






Figure 2-31 Jacktone Rd Cross Section Spring 2010



Differences in Water Elevations Spring 2010

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources.
The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose.
The information on this map is not intended to replace engineering, financial or primary records research.






Figure 2-32 Differences in Groundwater Elevations



LINES OF EQUAL ELEVATION OF GROUNDWATER SPRING 2010

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205


The information on this map is based on the most current information available to San Joaquin County Water Resources.
The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose.
The information on this map is not intended to replace engineering, financial or primary records research.

1 inch = 3.31 miles
0 1 2 4 Miles
0 1 2 Kilometers

Datum: North American of 1983



Figure 2-33 Lines of Equal Elevation of Groundwater Spring 2010



LINES OF EQUAL ELEVATION OF GROUNDWATER SPRING 2009

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources.
The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose.
The information on this map is not intended to replace engineering, financial or primary records research.



Datum: North American of 1983

1 inch = 3.31 miles
0 1 2 4 Miles
0 1 2 Kilometers



Figure 2-34 Lines of Equal Elevation of Groundwater Spring 2009





LINES OF EQUAL DEPTH TO GROUNDWATER SPRING 2010

San Joaquin County Public Works Water Resources
1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources.
The County of San Joaquin does not warrant its accuracy or suitability for any particular purpose.
The information on this map is not intended to replace engineering, financial or primary records research.



Datum: North American of 1983

1 inch = 3.31 miles
Kilometer scale
0 1.25 2.5 5 Miles
0 1.25 2.5 Kilometers



Figure 2-35 Lines of Equal Depth to Groundwater Spring 2010





LINES OF EQUAL DEPTH TO GROUNDWATER SPRING 2009

San Joaquin County Public Works Water Resources

1810 East Hazelton Avenue, Stockton CA 95205

The information on this map is based on the most current information available to San Joaquin County Water Resources.

The County of San Joaquin does not warrant its accuracy or reliability for any particular purpose.

The information on this map is not intended to replace engineering, financial or primary records research.

1 inch = 3.31 miles
Kilometer scale
0 1.25 2.5 Miles
0 1.25 2.5 Kilometers

Datum: North American of 1983



Figure 2-36 Lines of Equal Depth to Groundwater Spring 2009